


Maricopa County Department of Public Health STD Program



STD Cases 2018


Syphilis Cases By Diagnosis 1999-2018



	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
Unknown Duration			133	103	127	59	54	80	91	78	47	44	45	57	69	71	105	375	396	247
Late Latent	228	314	443	436	390	315	239	277	322	393	317	261	254	265	234	250	258	120	148	608
Early Latent	266	220	255	144	168	148	107	160	176	157	121	128	160	125	147	255	256	365	400	638
Primary/Secondary	197	174	150	155	141	112	122	163	192	235	160	162	210	162	209	407	446	542	714	787


Early Syphilis Cases By Gender

2006-2018




	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
Female	70	99	69	32	30	33	29	44	71	71	91	296	271
Male	258	348	312	265	257	328	254	307	563	630	745	950	1154

Congenital Syphilis Cases / Fetal Demise 1996-2018




Stillbirth	3	2	5	4	7	1	3	0	1	3	2	1	0	0	0	1	0	0	2	5
Live Birth	16	22	23	16	18	11	19	10	20	16	10	13	10	10	11	10	14	13	18	25

Chlamydia and Gonorrhea Cases 1999-2018




◆ Chlamydia	7660	8679	9386	10558	11217	11644	12155	13887	14472	15256	16065	16730	18071	19165	19140	19889	20584	22133	25418	26527
■ Gonorrhea	3557	3334	2898	3246	3649	2998	3207	3783	3161	2455	2501	2442	3468	4370	4719	5529	6213	7701	9139	8902

Chlamydia Cases By Age and Gender 2018




◆ Female (64%)	3	4390	9677	2084	627	72	15
■ Male (36%)	2	1535	5255	1142	805	138	32

Gonorrhea Cases By Age and Gender 2018



◆ Female (39%)	1	659	1760	765	281	32	2
■ Male (61%)	0	523	2548	1350	775	160	45

STD Rates in Maricopa County 2009-2018



—◆— Chlamydia	399.32	438.29	470.19	493.34	477.38	486.62	495.49	522.73	542.32	601.48
—■— Gonorrhea	62.17	63.97	90.23	112.49	117.7	135.28	149.56	181.86	207.2	201.85
—▲— Syphilis	16.93	17.13	17.67	15.93	16.34	24.3	25.91	33.45	40.05	52.28

HIV and AIDS Cases Newly Diagnosed 1999-2017

